

Spyn Mokum's Island Dry Sift Rosin Vape

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

▼ This medicine is new or being used differently. Please report side effects. See the [full CMI](#) for further details.

1. Why am I using Mokum's Island Rosin?

Mokum's Island Rosin contains the active ingredients tetrahydrocannabinol (THC) and cannabigerol (CBG) and very low levels of cannabidiol (CBD). Mokum's Island Rosin is not approved for any specific indication and should only be used to treat specific conditions or symptoms authorised by your doctor.

For more information, see Section [1. Why am I using Mokum's Island Rosin?](#) in the full CMI.

2. What should I know before I use Mokum's Island Rosin?

Do not use if you have ever had an allergic reaction to cannabis or any of the ingredients listed at the end of the CMI.

Talk to your doctor if you have any other medical conditions, take any other medicines, have a history of mental disorders, have a history of alcohol or drug abuse, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before I use Mokum's Island Rosin?](#) in the full CMI.

3. What if I am taking other medicines?

Some medicines may interfere with Mokum's Island Rosin and affect how it works.

A list of these medicines is in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How do I use Mokum's Island Rosin?

- Follow all directions given to you by your doctor or pharmacist carefully.
- If you do not understand the instruction on the pharmacist dispensing label, ask your doctor or pharmacist for help.
- A titration period is required to reach optimal dose. The volume, number and timing of doses will vary between patients. Your doctor will provide you with a treatment schedule based on your needs. Always use Mokum's Island Rosin exactly as your doctor has told you.
- Measure and dispense this medicine using a compatible 510-thread vaporization device under the guidance of your doctor

More instructions can be found in Section [4. How do I use Mokum's Island Rosin?](#) in the full CMI.

5. What should I know while using Mokum's Island Rosin?

Things you should do	<ul style="list-style-type: none">• Remind any doctor, dentist or pharmacist you visit that you are using Mokum's Island Rosin.• Tell your doctor if you have or have had any psychotic or concurrent disorder.• Tell your doctor if you are pregnant or planning to become pregnant. Tell your doctor if you become pregnant while taking Mokum's Island Rosin.• Tell your doctor if you have or have had any allergies to cannabis or cannabis-based medicines.• Take Mokum's Island Rosin as your doctor has prescribed.• Call your doctor straight away if you suspect that you are experiencing any side effects, or feel your condition worsens or does not improve over the time suggested by your doctor
Things you should not do	<ul style="list-style-type: none">• Do not stop using Mokum's Island Rosin suddenly.• Do not take Mokum's Island Rosin if you have an allergy to cannabis or cannabis-based medications.• Do not take Mokum's Island Rosin after the use-by (expiry) date printed on the packaging or if the packaging shows signs of tampering.• Do not take Mokum's Island Rosin if you are pregnant, planning to become pregnant, or breastfeeding.• Do not give this medicine to anyone else, even if they have the same condition as you.
Driving or using machines	<ul style="list-style-type: none">• Do not drive or operate machinery while taking Mokum's Island Rosin.
Drinking alcohol	<ul style="list-style-type: none">• Avoid or limit the use of alcohol while taking Mokum's Island Rosin.• Combining Mokum's Island Rosin and alcohol may increase their effects.

Looking after your medicine	<ul style="list-style-type: none">• Store Mokum’s Island Rosin in its original packaging.• Store in a cool dry place (less than 25°C), away from moisture, heat and sunlight.• Keep out of reach of children and pets.
------------------------------------	--

For more information, see Section [5. What should I know while using Mokum’s Island Rosin?](#) in the full CMI.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary.

You are more likely to get side effects when you start your treatment. They are usually mild and wear off within a few hours. However, some side effects may need medical attention.

Do not be alarmed by these lists of possible side effects. You may not experience any of them. Ask your doctor or pharmacist to answer any questions you may have.

Less serious side effects:

- Dry mouth
- Tiredness
- Dizziness

Serious side effects:

- Reduced physical control
- Severely impaired mental state
- Allergic reaction
- Irregular or fast heartbeat

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.



This medicine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side effects you may get. You can report side effects to your doctor, or directly at www.tga.gov.au/reporting-problems.

Spyn Mokum's Island Dry Sift Rosin Vape

Active ingredient(s): Each 1 g contains 700mg tetrahydrocannabinol (THC), 115mg cannabigerol (CBG) and 5mg cannabidiol (CBD)

Consumer Medicine Information (CMI)

This leaflet provides important information about using Mokum's Island Rosin. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Mokum's Island Rosin.**

Where to find information in this leaflet:

- [1. Why am I using Mokum's Island Rosin?](#)
- [2. What should I know before I use Mokum's Island Rosin?](#)
- [3. What if I am taking other medicines?](#)
- [4. How do I use Mokum's Island Rosin?](#)
- [5. What should I know while using Mokum's Island Rosin?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using Mokum's Island Rosin?

Mokum's Island Rosin contains the active ingredients tetrahydrocannabinol (THC), cannabigerol (CBG) and low levels of cannabidiol (CBD).

Mokum's Island Rosin is not approved for any specific indication and should only be used to treat specific conditions or symptoms prescribed by your doctor.

Ask your doctor if you have any questions about why Mokum's Island Rosin has been prescribed to you.

Mokum's Island Rosin is an alternative therapeutic option when medicines and lifestyle treatments have not been beneficial. The therapeutic benefit of Mokum's Island Rosin may vary between individuals.

This medicine is only available after approval from the Therapeutic Goods Administration (TGA) Special Access Scheme (SAS) for your doctor to prescribe for you.

2. What should I know before I use Mokum's Island Rosin?

Warnings

Always check the ingredients to make sure you can use this medicine.

Do not use Mokum's Island Rosin if:

- you are allergic to cannabis or any of the ingredients listed at the end of this leaflet.

- you have ever had a negative reaction to cannabis
- you are pregnant, planning to become pregnant, or breastfeeding.

Check with your doctor if you:

- have any other medical conditions
- have allergies to any other medicines
- have a personal or family history of psychotic, mood, or anxiety disorders
- have significant liver function abnormalities
- have a substance use disorder (abuse, dependence) to alcohol, opioids, benzodiazepines, or illicit stimulants
- take any medicines for any other condition

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor if you are pregnant or intend to become pregnant.

Talk to your doctor if you are breastfeeding or intend to breastfeed.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any other cannabis products, or vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

You should also tell any health professional who is prescribing a new medication for you that you are taking Mokum's Island Rosin.

If you see a different doctor or go into hospital, let them know all the medicines you are taking.

Some medicines may interfere with Mokum's Island Rosin and affect how it works.

Medicines that may increase the effect of Mokum's Island Rosin include:

- sedatives or sleeping pills
- certain painkillers (e.g., opioids)

Medicines that may reduce the effect of Mokum's Island Rosin include:

- some anticonvulsants (e.g., carbamazepine)
- St John's Wort, a herbal medicine used to treat mild anxiety

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect Mokum's Island Rosin.

4. How do I use Mokum's Island Rosin?

How much to take / use

Your doctor will work with you to decide the dose that best suits you and your symptoms. Dosage may need to be changed by your doctor to determine where the benefits are maximised and unwanted effects are minimised.

Always follow the instructions from your doctor.

When to take / use Mokum's Island Rosin

Your doctor will work with you to decide how often to take the medicine that best suits you and your symptoms.

Always follow the instructions from your doctor.

How to administer Mokum's Island Rosin

- Use with a compatible 510-thread vaporising unit only.
- Insert the cartridge as per the vaping device instructions used.
- Once vape is inserted gently draw in through the mouthpiece.
- Once you have finished using your vaporising unit disconnect the cartridge for separate storage and replace the mouth cover
- Dosing administration is as per your healthcare practitioners directions.

If you forget to use Mokum's Island Rosin

Mokum's Island Rosin should be used at the times directed by your doctor. Ask your doctor for the acceptable dosage time window.

If you are unsure, or if it is almost time for your next dose, skip the dose you missed and take your next dose when you are meant to.

Do not take a double dose to make up for the dose you missed.

If you use too much Mokum's Island Rosin

If you think that you have used too much Mokum's Island Rosin, you may need urgent medical attention.

You should immediately:

- phone the Poisons Information Centre (**by calling 13 11 26**), or
- contact your doctor, or
- go to the Emergency Department at your nearest hospital.

You should do this even if there are no signs of discomfort or poisoning.

5. What should I know while using Mokum's Island Rosin?

Things you should do

- Take Mokum's Island Rosin as your doctor has prescribed.
- Avoid or limit the use of alcohol while taking Mokum's Island Rosin.

Call your doctor straight away if you:

- Are pregnant or become pregnant while taking Mokum's Island Rosin.
- Experience any serious side effects (Refer to Section 6).
- Notice your symptoms don't improve or get worse.
- Change any of your other medications or are about to start using any new medication

Remind any doctor, dentist or pharmacist you visit that you are using Mokum's Island Rosin.

Things you should not do

- Do not stop using this medicine suddenly without telling your doctor.
- Do not give your medicine to anyone else, even if they have the same condition as you.

Travelling overseas with Mokum's Island Rosin

- Check that it is legal for you to take Mokum's Island Rosin into any countries you are travelling to and countries you are travelling through.
- Mokum's Island Rosin is a Controlled Drug in Australia, and its legal status will vary between countries.

Driving or using machines

Mokum's Island Rosin may make you feel drowsy, sleepy or dizzy.

Do not drive or operate machinery while taking Mokum's Island Rosin

Check with your doctor when it is safe to drive after taking Mokum's Island Rosin.

Drinking alcohol

Tell your doctor if you drink alcohol.

Combining Mokum's Island Rosin and alcohol may increase their effects.

Looking after your medicine

- Store in a cool, dry place away from direct sunlight (15°C to 25°C)
- Do not store in the bathroom or near a sink
- Do not store in the car or on windowsills.
- Keep the supplied cap on the mouthpiece when not in use to prevent contamination or damage
- Store in its original packaging
- Store upright where possible to prevent leakage
- Do not freeze or refrigerate

- When travelling, keep in carry-on luggage to protect the cartridge from extreme temperatures and to comply with airline and customs regulations.

Keep out of reach of children and pets

Getting rid of any unwanted medicine

If you no longer need to use this medicine or it is out of date, take it to any pharmacy for safe disposal.

Do not use this medicine after the expiry date.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
<p>Broad or affecting different parts of the body:</p> <ul style="list-style-type: none"> • Dry mouth, throat irritation • Tiredness or drowsiness • Reduced concentration, memory and attention • Altered bodily perceptions 	<p>Speak to your doctor if you have any of these less serious side effects and they worry you.</p>

Serious side effects

Serious side effects	What to do
<p>Broad or affecting different parts of the body:</p> <ul style="list-style-type: none"> • Feeling dizzy or lightheaded • Disorientation, confusion, feelings of unreality • Headache • Paranoia, feeling nervous or anxious, panic-attack • Hallucinations (visual or auditory) • Loss of control of bodily movements, falling over • Irregular or fast heartbeat <p>Allergic reaction:</p> <ul style="list-style-type: none"> • itching, hypersensitivity like a rash or hives • nausea or vomiting • chest tightness, wheezing coughing or difficulty breathing 	<p>Call your doctor straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.</p>

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

7. Product details

This medicine is only available with a doctor's prescription.

What Mokum's Island Rosin contains

Active ingredient (main ingredient)	700mg tetrahydrocannabinol (THC) 115mg cannabigerol (CBG) 5mg cannabidiol (CBD)
Other ingredients (inactive ingredients)	Lesser amounts of other phytocannabinoids, terpenes and compounds naturally occurring in the cannabis plant

Do not take this medicine if you are allergic to any of these ingredients.

Mokum's Island Rosin does not contain added gluten, sugars, lactose, colourants, artificial preservatives or flavourings.

What Mokum's Island Rosin looks like

Mokum's Island Rosin is a dark gold to amber coloured liquid supplied in a vaporising cartridge. Any variation in appearance is due to the natural qualities of the plant product.

Who distributes Mokum's Island Rosin

Mokum's Island Rosin is supplied in Australia by
Tasmanian Cannabinoids Pty Ltd
Email: info@halefarm.com.au
Website: www.halefarm.com.au

This leaflet was prepared in June 2025.