

Green Rises Dazie Daiz 5mg Pastilles

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

▼ This medicine is new or being used differently. Please report side effects. See the [full CMI](#) for further details.

1. Why am I using Dazie Daiz 5mg pastille?

Dazie Daiz 5mg pastille contains the active ingredient delta-9-tetrahydrocannabinol (THC). Dazie Daiz 5mg pastille is not approved for any specific indication and should only be used to treat specific conditions or symptoms authorised by your doctor.

For more information, see Section [1. Why am I using Dazie Daiz 5mg pastille?](#) in the full CMI.

2. What should I know before I use Dazie Daiz 5mg pastille?

Do not use if you have ever had an allergic reaction to cannabis or any of the ingredients listed at the end of the CMI.

Talk to your doctor if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before I use Dazie Daiz 5mg pastille?](#) in the full CMI.

3. What if I am taking other medicines?

Some medicines may interfere with Dazie Daiz 5mg pastille and affect how it works.

A list of these medicines is in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How do I use Dazie Daiz 5mg pastille?

- Follow all directions given to you by your doctor or pharmacist carefully. They may differ from the information contained within this leaflet.
- If you do not understand the instruction on the pharmacist dispensing label, ask your doctor or pharmacist for help.
- Your doctor will provide you with a treatment schedule based on your needs. Always use Dazie Daiz 5mg pastille exactly as your doctor has told you.
- Dazie Daiz 5mg pastille can be taken before or after food, as advised by your doctor. Using Dazie Daiz 5mg pastille on an empty stomach may increase its effects.
- Only a doctor can start you on treatment with Dazie Daiz 5mg pastille. Your doctor will assess you from time to time to see if you should continue taking Dazie Daiz 5mg pastille.

More instructions can be found in Section [4. How do I use Dazie Daiz 5mg pastille?](#) in the full CMI.

5. What should I know while using Dazie Daiz 5mg pastille?

Things you should do	<ul style="list-style-type: none">• Remind any doctor, dentist or pharmacist you visit that you are using Dazie Daiz 5mg pastille.• Tell your doctor if you have or have had any psychotic or concurrent disorder.• Tell your doctor if you are pregnant or planning to become pregnant. Tell your doctor if you become pregnant while taking Dazie Daiz 5mg pastille.• Tell your doctor if you have or have had any allergies to cannabis or cannabis-based medicines.• Take Dazie Daiz 5mg pastille as your doctor has prescribed.
Things you should not do	<ul style="list-style-type: none">• Do not stop using Dazie Daiz 5mg pastille suddenly.• Do not take Dazie Daiz 5mg pastille if you have an allergy to cannabis or cannabis-based medications.• Do not take Dazie Daiz 5mg pastille after the use-by (expiry) date printed on the packaging or if the packaging shows signs of tampering.• Do not take Dazie Daiz 5mg pastille if you are pregnant, planning to become pregnant, or breastfeeding.• Do not give this medicine to anyone else, even if they have the same condition as you.
Driving or using machines	<ul style="list-style-type: none">• Do not drive or operate machinery while taking Dazie Daiz 5mg pastille.

Drinking alcohol	<ul style="list-style-type: none"> • Avoid or limit the use of alcohol while taking Dazie Daiz 5mg pastille. • Combining Dazie Daiz 5mg pastille and alcohol may increase their effects.
Looking after your medicine	<ul style="list-style-type: none"> • Store Dazie Daiz 5mg pastille in its original packaging. • Store in a cool dry place (less than 25°C), away from moisture, heat and sunlight. • Keep out of reach of children and pets.

For more information, see Section [5. What should I know while using Dazie Daiz 5mg pastille?](#) in the full CMI.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary.

You are more likely to get side effects when you start your treatment. They are usually mild and wear off within a few hours. However, some side effects may need medical attention.

Do not be alarmed by these lists of possible side effects. You may not experience any of them. Ask your doctor or pharmacist to answer any questions you may have.

Less serious side effects:

- Dry mouth
- Tiredness
- Dizziness

Serious side effects:

- Reduced physical control
- Severely impaired mental state
- Allergic reaction
- Rapid heartbeat

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.



This medicine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side effects you may get. You can report side effects to your doctor, or directly at www.tga.gov.au/reporting-problems.

Green Rises Dazie Daiz 5mg Pastilles

Active ingredient(s): Each pastille contains 5mg delta-9-tetrahydrocannabinol (THC)

Consumer Medicine Information (CMI)

This leaflet provides important information about using Dazie Daiz 5mg pastille. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Dazie Daiz 5mg pastille.**

Where to find information in this leaflet:

- [1. Why am I using Dazie Daiz 5mg pastille?](#)
- [2. What should I know before I use Dazie Daiz 5mg pastille?](#)
- [3. What if I am taking other medicines?](#)
- [4. How do I use Dazie Daiz 5mg pastille?](#)
- [5. What should I know while using Dazie Daiz 5mg pastille?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using Dazie Daiz 5mg pastille?

Dazie Daiz 5mg pastille contains the active ingredient delta-9-tetrahydrocannabinol (THC).

Dazie Daiz 5mg pastille is not approved for any specific indication and should only be used to treat specific conditions or symptoms prescribed by your doctor.

Ask your doctor if you have any questions about why Dazie Daiz 5mg pastille has been prescribed to you.

Dazie Daiz 5mg pastille is an alternative therapeutic option when medicines and lifestyle treatments have not been beneficial. The therapeutic benefit of Dazie Daiz 5mg pastille may vary between individuals.

This medicine is only available with a doctor's prescription.

2. What should I know before I use Dazie Daiz 5mg pastille?

Warnings

Always check the ingredients to make sure you can use this medicine.

Do not use Dazie Daiz 5mg pastille if:

- you are allergic to cannabis or cannabis-based medications or any of the ingredients listed at the end of this leaflet.
- you are pregnant, planning to become pregnant, or breastfeeding.

Check with your doctor if you:

- have any other medical conditions
- have allergies to any other medicines
- have a personal or family history of psychotic, mood, or anxiety disorders
- have significant liver function abnormalities
- have a substance use disorder (abuse, dependence) to alcohol, opioids, benzodiazepines, or stimulants
- take any medicines for any other condition

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor if you are pregnant or intend to become pregnant.

Talk to your doctor if you are breastfeeding or intend to breastfeed.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any other cannabis products, or vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

You should also tell any health professional who is prescribing a new medication for you that you are taking Dazie Daiz 5mg pastille.

If you see a different doctor or go into hospital, let them know all the medicines you are taking.

Some medicines may interfere with Dazie Daiz 5mg pastille and affect how it works.

Medicines that may increase the effect of Dazie Daiz 5mg pastille include:

- sedatives or sleeping pills
- certain painkillers (e.g., opioids)

Medicines that may reduce the effect of Dazie Daiz 5mg pastille include:

- some anticonvulsants (e.g., carbamazepine)
- St John's Wort

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect Dazie Daiz 5mg pastille.

4. How do I use Dazie Daiz 5mg pastille?

How much to take / use

Your doctor will work with you to decide the dose that best suits you and your symptoms. Dosage may need to be changed by your doctor to determine where the benefits are maximised and unwanted effects are minimised.

Always follow the instructions from your doctor.

When to take / use Dazie Daiz 5mg pastille

Your doctor will work with you to decide how often to take the medicine that best suits you and your symptoms.

Always follow the instructions from your doctor.

How to administer Dazie Daiz 5mg pastille

- This product should be administered orally, as recommended by your doctor or pharmacist.

If you forget to use Dazie Daiz 5mg pastille

Dazie Daiz 5mg pastille should be used at the times directed by your doctor. Ask your doctor for the acceptable dosage time window.

If you are unsure, or if it is almost time for your next dose, skip the dose you missed and take your next dose when you are meant to.

Do not take a double dose to make up for the dose you missed.

If you use too much Dazie Daiz 5mg pastille

If you think that you have used too much Dazie Daiz 5mg pastille, you may need urgent medical attention.

You should immediately:

- phone the Poisons Information Centre (**by calling 13 11 26**), or
- contact your doctor, or
- go to the Emergency Department at your nearest hospital.

You should do this even if there are no signs of discomfort or poisoning.

5. What should I know while using Dazie Daiz 5mg pastille?

Things you should do

- Take Dazie Daiz 5mg pastille as your doctor has prescribed.
- Avoid or limit the use of alcohol while taking Dazie Daiz 5mg pastille.

Call your doctor straight away if you:

- Are pregnant or become pregnant while taking Dazie Daiz 5mg pastille.
- Experience any serious side effects (Refer to Section 6).
- Notice your symptoms don't improve or get worse.
- Change any of your other medications or are about to start using any new medication

Remind any doctor, dentist or pharmacist you visit that you are using Dazie Daiz 5mg pastille.

Things you should not do

- Do not stop using this medicine suddenly without telling your doctor.
- Do not give your medicine to anyone else, even if they have the same condition as you.

Travelling overseas with Dazie Daiz 5mg pastille

- Check that it is legal for you to take Dazie Daiz 5mg pastille into any countries you are travelling to and countries you are travelling through.
- Dazie Daiz 5mg pastille is a Controlled Drug in Australia, and its legal status will vary between countries.

Driving or using machines

Dazie Daiz 5mg pastille may make you feel drowsy, sleepy or dizzy.

Do not drive or operate machinery while taking Dazie Daiz 5mg pastille.

Check with your doctor when it is safe to drive after taking Dazie Daiz 5mg pastille.

Drinking alcohol

Tell your doctor if you drink alcohol.

Combining Dazie Daiz 5mg pastille and alcohol may increase their effects.

Looking after your medicine

- Store Dazie Daiz 5mg pastille in its original packaging
- Store in a cool (less than 25°C), dry place away from moisture, heat, or sunlight
- Do not store in the bathroom or near a sink
- Do not store in the car or on windowsills

Keep out of reach of children and pets.

Getting rid of any unwanted medicine

If you no longer need to use this medicine or it is out of date, take it to any pharmacy for safe disposal.

Do not use this medicine after the expiry date.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
General: <ul style="list-style-type: none">• Dry mouth• Tiredness	Speak to your doctor if you have any of these less serious

Nervous system: • Altered bodily perceptions	side effects and they worry you.
--	---

Serious side effects

Serious side effects	What to do
General: <ul style="list-style-type: none"> • Feeling dizzy or disorientated • Paranoia, feeling nervous or anxious • Hallucinations • Loss of control of bodily movements, falling over • Nausea or vomiting • Rapid heartbeat Allergic reaction: <ul style="list-style-type: none"> • Itching, hypersensitivity like a rash or hives • Chest tightness, wheezing coughing or difficulty breathing 	Call your doctor straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

7. Product details

This medicine is only available with a doctor's prescription.

What Dazie Daiz 5mg pastille contains

Active ingredient (main ingredient)	Contains 5mg delta-9-tetrahydrocannabinol (THC) per pastille
Other ingredients (inactive ingredients)	Water, glucose, sugar, citric acid, soy lecithin, pectin, raspberry flavour, pink colouring, MCT oil. Lesser amounts of other phytocannabinoids, terpenes and compounds naturally occurring in the cannabis plant

Do not take this medicine if you are allergic to any of these ingredients.

Dazie Daiz 5mg pastille does not contain added gluten, lactose, or artificial preservatives.

What Dazie Daiz 5mg pastille looks like

Dazie Daiz 5mg pastille contains 60 pieces presented in a plastic jar.

Who distributes Dazie Daiz 5mg pastille

Dazie Daiz 5mg pastille is supplied in Australia by Tasmanian Cannabinoids Pty Ltd
Email: info@halefarm.com.au
Website: www.halefarm.com.au

This leaflet was prepared in July 2025.