

Spyn Stem Cell Dried Cannabis

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

▼ This medicine is new or being used differently. Please report side effects. See the [full CMI](#) for further details.

1. Why am I using Stem Cell?

Stem Cell contains the active ingredients cannabigerol (CBG) and low levels of delta-9-tetrahydrocannabinol (THC). Stem Cell is not approved for any specific indication and should only be used to treat specific conditions or symptoms authorised by your doctor.

For more information, see Section [1. Why am I using Stem Cell?](#) in the full CMI.

2. What should I know before I use Stem Cell?

Do not use if you have ever had an allergic reaction to cannabis or any of the ingredients listed at the end of the CMI.

Talk to your doctor if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before I use Stem Cell?](#) in the full CMI.

3. What if I am taking other medicines?

Some medicines may interfere with Stem Cell and affect how it works.

A list of these medicines is in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How do I use Stem Cell?

- Follow all directions given to you by your doctor or pharmacist carefully. They may differ from the information contained within this leaflet.
- If you do not understand the instruction on the pharmacist dispensing label, ask your doctor or pharmacist for help.
- A titration period is required to reach optimal dose. The volume, number and timing of doses will vary between patients.
- Your doctor will provide you with a treatment schedule based on your needs. Always use Stem Cell exactly as your doctor has told you.
- Stem Cell can be taken before or after food.
- Only a doctor can start you on treatment with Stem Cell. Your doctor will assess you from time to time to see if you should continue taking Stem Cell.

More instructions can be found in Section [4. How do I use Stem Cell?](#) in the full CMI.

5. What should I know while using Stem Cell?

Things you should know	<ul style="list-style-type: none">• This medication is not THC free; it contains low levels of delta-9-tetrahydrocannabinol (THC)
Things you should do	<ul style="list-style-type: none">• Remind any doctor, dentist or pharmacist you visit that you are using Stem Cell.• Tell your doctor if you have or have had any psychotic or concurrent disorder.• Tell your doctor if you are pregnant or planning to become pregnant. Tell your doctor if you become pregnant while taking Stem Cell.• Tell your doctor if you have or have had any allergies to cannabis or cannabis-based medicines.• Take Stem Cell as your doctor has prescribed.
Things you should not do	<ul style="list-style-type: none">• Do not stop using this medicine suddenly.• Do not take Stem Cell if you have an allergy to cannabis or cannabis-based medications.• Do not take Stem Cell after the use-by (expiry) date printed on the packaging or if the packaging shows signs of tampering.• Do not take Stem Cell if you are pregnant, planning to become pregnant, or breastfeeding.• Do not give this medicine to anyone else, even if they have the same condition as you.
Driving or using machines	<ul style="list-style-type: none">• Do not drive or operate machinery while taking Stem Cell.

Drinking alcohol	<ul style="list-style-type: none"> • Avoid or limit the use of alcohol while taking Stem Cell. • Combining Stem Cell and alcohol may increase their effects.
Looking after your medicine	<ul style="list-style-type: none"> • Store Stem Cell in its original packaging. • Store in a cool dry place away from moisture, heat or sunlight. • Keep out of reach of children and pets.

For more information, see Section [5. What should I know while using Stem Cell?](#) in the full CMI.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary.

You are more likely to get side effects when you start your treatment. They are usually mild and wear off within a few hours. However, some side effects may need medical attention.

Do not be alarmed by these lists of possible side effects. You may not experience any of them. Ask your doctor or pharmacist to answer any questions you may have.

Less serious side effects:

- Dry mouth
- Tiredness
- Dizziness

Serious side effects:

- Reduced physical control
- Severely impaired mental state
- Allergic reaction
- Rapid heartbeat

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.



This medicine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side effects you may get. You can report side effects to your doctor, or directly at www.tga.gov.au/reporting-problems.

Spyn Stem Cell Dried Cannabis

Active ingredient(s): 9% w/w *cannabigerol* (CBG)

Consumer Medicine Information (CMI)

This leaflet provides important information about using Stem Cell. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Stem Cell.**

Where to find information in this leaflet:

- [1. Why am I using Stem Cell?](#)
- [2. What should I know before I use Stem Cell?](#)
- [3. What if I am taking other medicines?](#)
- [4. How do I use Stem Cell?](#)
- [5. What should I know while using Stem Cell?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using Stem Cell?

Stem Cell contains the active ingredient *cannabigerol* (CBG).

Stem Cell is not approved for any specific indication and should only be used to treat specific conditions or symptoms prescribed by your doctor.

Ask your doctor if you have any questions about why Stem Cell has been prescribed to you.

Stem Cell is an alternative therapeutic option when medicines and lifestyle treatments have not been beneficial. The therapeutic benefit of Stem Cell may vary between individuals.

This medicine is only available with a doctor's prescription.

2. What should I know before I use Stem Cell?

Warnings

Always check the ingredients to make sure you can use this medicine.

Do not use Stem Cell if:

- you are allergic to cannabis or cannabis-based medications or any of the ingredients listed at the end of this leaflet.
- you are pregnant, planning to become pregnant, or breastfeeding.

Check with your doctor if you:

- have any other medical conditions
- have allergies to any other medicines
- have a personal or family history of psychotic, mood, or anxiety disorders
- have significant liver function abnormalities
- have a substance use disorder (abuse, dependence) to alcohol, opioids, benzodiazepines, or stimulants
- take any medicines for any other condition

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor if you are pregnant or intend to become pregnant.

Talk to your doctor if you are breastfeeding or intend to breastfeed.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any other cannabis products, or vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

You should also tell any health professional who is prescribing a new medication for you that you are taking Stem Cell.

If you see a different doctor or go into hospital, let them know all the medicines you are taking.

Some medicines may interfere with Stem Cell and affect how it works.

Medicines that may increase the effect of Stem Cell include:

- sedatives or sleeping pills
- certain painkillers (e.g., opioids)

Medicines that may reduce the effect of Stem Cell include:

- some anticonvulsants (e.g., carbamazepine)
- St John's Wort

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect Stem Cell.

4. How do I use Stem Cell?

How much to take / use

Your doctor will work with you to decide the dose that best suits you and your symptoms. Dosage may need to be changed by your doctor to determine where the benefits are maximised and unwanted effects are minimised.

Always follow the instructions from your doctor.

When to take / use Stem Cell

Your doctor will work with you to decide how often to take the medicine that best suits you and your symptoms.

Always follow the instructions from your doctor.

How to administer Stem Cell

- Use a vaporiser set to 180–210°C to heat the flower and inhale the vapor.
- Do not smoke unless advised by your doctor, as it may irritate your lungs.

If you forget to use Stem Cell

Stem Cell should be used at the times directed by your doctor. Ask your doctor for the acceptable dosage time window.

If you are unsure, or if it is almost time for your next dose, skip the dose you missed and take your next dose when you are meant to.

Do not take a double dose to make up for the dose you missed.

If you use too much Stem Cell

If you think that you have used too much Stem Cell, you may need urgent medical attention.

You should immediately:

- phone the Poisons Information Centre (**by calling 13 11 26**), or
- contact your doctor, or
- go to the Emergency Department at your nearest hospital.

You should do this even if there are no signs of discomfort or poisoning.

5. What should I know while using Stem Cell?

Things you should do

- Take Stem Cell as your doctor has prescribed.
- Avoid or limit the use of alcohol while taking Stem Cell.

Call your doctor straight away if you:

- Are pregnant or become pregnant while taking Stem Cell.
- Experience any serious side effects (Refer to Section 6).
- Notice your symptoms don't improve or get worse.
- Change any of your other medications or are about to start using any new medication.

Remind any doctor, dentist or pharmacist you visit that you are using Stem Cell.

Things you should not do

- Do not stop using this medicine suddenly without telling your doctor.
- Do not give your medicine to anyone else, even if they have the same condition as you.

Travelling overseas with Stem Cell

- Check that it is legal for you to take Stem Cell into any countries you are travelling to and countries you are travelling through.
- Stem Cell is a Controlled Drug in Australia, and its legal status will vary between countries.

Driving or using machines

Stem Cell may make you feel drowsy, sleepy or dizzy.

Do not drive or operate machinery while taking Stem Cell. Check with your doctor when it is safe to drive after taking Stem Cell.

Drinking alcohol

Tell your doctor if you drink alcohol.

Combining Stem Cell and alcohol may increase their effects.

Looking after your medicine

- Store Stem Cell in its original packaging.
- Store it in a cool, dry place away from moisture, heat, or sunlight
- Do not store in the bathroom or near a sink
- Do not store in the car or on windowsills.

Keep out of reach of children and pets.

Getting rid of any unwanted medicine

If you no longer need to use this medicine or it is out of date, take it to any pharmacy for safe disposal.

Do not use this medicine after the expiry date.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
General: <ul style="list-style-type: none">• Dry mouth• Tiredness Nervous system: <ul style="list-style-type: none">• Altered bodily perceptions	Speak to your doctor if you have any of these less serious side effects and they worry you.

Serious side effects

Serious side effects	What to do
<p>General</p> <ul style="list-style-type: none">• Feeling dizzy or disorientated• Paranoia, feeling nervous or anxious• Hallucinations• Loss of control of bodily movements, falling over• Nausea or vomiting• Rapid heartbeat <p>Allergic reaction:</p> <ul style="list-style-type: none">• itching, hypersensitivity like a rash or hives• chest tightness, wheezing coughing or difficulty breathing	<p>Call your doctor straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.</p>

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

7. Product details

This medicine is only available with a doctor's prescription.

What Stem Cell contains

Active ingredient (main ingredient)	Contains 9% w/w cannabigerol (CBG)
Other ingredients (inactive ingredients)	<0.2% w/w delta-9-tetrahydrocannabinol (THC)

Do not take this medicine if you are allergic to any of these ingredients.

What Stem Cell looks like

Stem Cell is a whole cannabis dried flower presented in a plastic pouch. Each pouch contains 30 grams of dried cannabis.

Who distributes Stem Cell

Stem Cell is supplied in Australia by
Tasmanian Cannabinoids Pty Ltd
Email: info@halefarm.com.au
Website: www.halefarm.com.au

This leaflet was prepared in July 2025.